



TAMIL NADU OPEN UNIVERSITY

Chennai - 15
School of Science

ASSIGNMENT

Programme Code No	: 132
Programme Name	: B.Sc., Mathematics with Computer Applications
Course Code & Name	: BMC-31, Real and Complex Analysis
Batch	: AY 2019-20
No.of Assignment	: One Assignment for Each 2 Credits
Maximum Marks	: 100
Weightage	: 25%

Assignment – I

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. State and prove Baire's Category theorem.
2. Prove that the composition of two continuous functions is continuous.
3. Prove that countable union of countable sets is countable.
4. State and prove Minkowski's inequality.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. State equivalent conditions for a subset A of a metric space X is dense in X .
2. Prove that \mathbb{R}_2 is complete, with usual notation.
3. State and prove Holder's inequality and hence deduce Cauchy-Schwarz inequality.

Assignment – II

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. State and prove Heine Borel Theorem.
2. Prove that a continuous function on a compact set is uniformly continuous.
3. Prove that the closer of a connected set is connected.
4. Prove that any compact subset of a metric space is closed and bounded.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Prove that \mathbb{R} is connected, proving necessary results.
2. Prove that a metric space X is totally bounded if and only if every sequence in X has a Cauchy subsequence.
3. State and prove Cantor's Intersection Theorem.

Assignment – III

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. State and prove a condition for a bounded function to be Riemann integrable.
2. Prove that any continuous function defined on a closed interval is integrable.
3. State and prove Chain Rule and differentiation.
4. State and prove Generalized Mean value theorem.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. List Properties of Riemann integral and prove.
2. State and prove first fundamental theorem of Calculus.

3. State and prove equivalent conditions for a metric space X to be compact.

Assignment – IV

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. State and prove Liouville's Theorem.
2. State and prove Cauchy's residue theorem.
3. Define an analytic function and show that the function $f(z) = |z|$ is not analytic.
4. If f is analytic in a region then prove that the real and imaginary parts satisfy the C-R equations.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. State and prove Morera's theorem.
2. State and prove maximum modulus theorem.
3. State and prove Cauchy's integral theorem for Rectangle.



TAMIL NADU OPEN UNIVERSITY

Chennai - 15
School of Science

ASSIGNMENT

Programme Code No	: 132
Programme Name	: B.Sc., Mathematics with Computer Applications
Course Code & Name	: BMC-32, Linear Algebra and Boolean Algebra
Batch	: AY 2019-20
No.of Assignment	: One Assignment for Each 2 Credits
Maximum Marks	: 100
Weightage	: 25%

Assignment – I

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Define linearly independent set, linearly dependent set and illustrate.
2. Define rank, nullity of linear transformation and prove that $\dim V = \text{rank } T + \text{nullity } T$ where T is a linear transformation from the vector space V in to vector space W .
3. Define Kernel of a linear transformation and prove that it is a subspace.
4. If A and B are subspaces of a vector space V then prove that $\frac{A+B}{A} \cong \frac{B}{A \cap B}$.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Prove that the set of all linear transformations from V to W is a vector space where V and W are vector spaces
2. Prove that any two bases of a finite dimensional vector space V have the same number of elements, proving necessary results.
3. Define the quotient Space and prove it is an vector space.

Assignment – II

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. State and prove Schwartz inequality
2. If W is a subspace of a finite dimensional inner product space then prove that $V = W \oplus W^\perp$.
3. State and prove fundamental theorem of Homomorphism on vector spaces.
4. Prove that an isomorphism between vector spaces maps a basis of V onto a basis of W .

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Prove that any vector space of dimension n over a field F is isomorphic to $V_n(F)$.
2. Prove that $\dim W \leq \dim V$ and $\dim \frac{V}{W} = \dim V - \dim W$ where W is a subspace of a finite dimensional vector space V .
3. State and prove equivalent conditions for a subset of a vector space to be a basis.

Assignment – III

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Prove that every chain is a lattice.
2. Prove that the set of all normal subgroups of a group G is a modular lattice.
3. Show that $L(V, V, F)$ is a vector space of dimension n^2 .
4. Draw the diagram for the poset $\mathcal{P}(\{1,2,3\})$ with the relation set inclusion \subseteq .

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Explain Gram-Schmidt orthogonalisation process and illustrate.
2. Explain Lagrange Method to reduce a quadratic form to diagonal form and illustrate.
3. If A and B are subspaces of a finite-dimensional vector space V , then prove that, $\dim(A + B) = \dim A + \dim B - \dim(A \cap B)$.

Assignment – IV

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Define a Boolean Ring and list some properties, justify.
2. Is the complement of an element in a lattice unique? When it is unique? Justify.
3. Prove that the set of all subgroups of a groups is a lattice.
4. Define a Boolean Algebra and list some properties, justify.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Write a note on Modular Lattices.
2. Explain the process of converting a Boolean ring with identity element $1 \neq 0$ in to a Boolean algebra.
3. Write a note on Distributive Lattices.



TAMIL NADU OPEN UNIVERSITY

Chennai - 15
School of Science

ASSIGNMENT

Programme Code No	: 132
Programme Name	: B.Sc., Mathematics with Computer Applications
Course Code & Name	: BMC-33N, Quantitative Techniques
Batch	: AY 2019-20
No.of Assignment	: One Assignment for Each 2 Credits
Maximum Marks	: 100
Weightage	: 25%

Assignment – I

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Explain Two-phase method.
2. Explain practical rule to avoid cycling in L.P.P.
3. Explain Simplex Algorithm.
4. Explain Big M-method.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Use Charney's penalty method to

$$\text{Minimize } Z = 2x_1 + x_2$$

Subject to the constraints:

$$3x_1 + x_2 = 3$$

$$4x_1 + 3x_2 \geq 6$$

$$x_1 + 2x_2 \leq 3$$

$$x_1, x_2 \geq 0$$

2. Use two-phase simplex method to

$$\text{Minimize } Z = \frac{15}{2}x_1 + 3x_2$$

Subject to the constraints:

$$3x_1 + x_2 + x_3 \geq 3$$

$$x_1 + x_2 + x_3 \geq 2$$

$$x_1, x_2, x_3 \geq 0$$

3. Use simplex method to solve the following L.P.P.

$$\text{Maximize } Z = 7x_1 + 5x_2$$

Subject to the constraints:

$$\left. \begin{array}{l} x_1 + 2x_2 \leq 6 \\ 4x_1 + 3x_2 \leq 12 \\ x_1, x_2 \geq 0 \end{array} \right\}$$

Assignment – II

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Explain dual simplex algorithm.
2. Explain Integer programming algorithm.
3. Show that the dual of the dual is the primal.
4. Obtain the dual problem of the following LPP.

$$\text{Minimize } Z = 2x_1 + 5x_2 + 6x_3$$

Subject to the constraints:

$$5x_1 + 6x_2 + x_3 \leq 3$$

$$-2x_1 + x_2 + 4x_3 \leq 4$$

$$x_1 - 5x_2 + 3x_3 \leq 1$$

$$-3x_1 + 3x_2 + 7x_3 \leq 6$$

$$x_1, x_2, x_3 \geq 0$$

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Use the duality to solve the following L.P.P.:

$$\text{Maximize } Z = 2x_1 + x_2$$

Subject to the constraints:

$$x_1 + 2x_2 \leq 10$$

$$x_1 + x_2 \leq 6$$

$$x_1 - x_2 \leq 2$$

$$x_1 - 2x_2 \leq 1$$

$$x_1, x_2, x_3 \geq 0$$

2. Find the optimum integer solution to the following all I.P.P.:

$$\text{Maximize } Z = x_1 + 2x_2$$

Subject to the constraints :

$$x_1 + x_2 \leq 7$$

$$2x_1 \leq 11$$

$$2x_2 \leq 7$$

$x_1, x_2 \geq 0$ and are integers.

3. Maximize $Z = \frac{3}{4}x_1 + 150x_2 + \frac{1}{50}x_3 + 6x_4$

Subject to the constraints:

$$\frac{1}{4}x_1 + 60x_2 - \frac{1}{25}x_3 + 9x_4 \leq 0$$

$$\frac{1}{2}x_1 + 90x_2 - \frac{1}{50}x_3 + 3x_4 \leq 0$$

$$x_3 \leq 1$$

$$x_1, x_2, x_3, x_4 \geq 0$$

Assignment – III

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Solve the following 2 x 4 game graphically:

		Player B			
		B ₁	B ₂	B ₃	B ₄
Player A	A ₁	2	1	0	-2
	A ₂	1	0	3	2

2. A contractor has to supply 10,000 bearings per day to an automobile manufacturer. He finds that, when he starts a production run, he can produce 25,000 bearings per day. The cost of holding a bearing in stock for one year is 20 paise and the set up cost of a production run is Rs.180. How frequently should production run be made?
3. Explain Hungarian method to solve assignment problem.
4. Explain Vogel's Approximation method.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Consider the problem of assigning five jobs to five persons. The assignment costs are given as follows:

Persons	Job				
	1	2	3	4	5
A	8	4	2	6	1
B	0	9	5	5	4
C	3	8	9	2	6
D	4	3	1	0	3
E	9	5	8	9	5

Determine the optimum assignment schedule.

2. Obtain an initial basic feasible solution to the following T.P. using the Vogel's approximation method:

Warehouses	Stores				Availability
	I	II	III	IV	
A	5	1	3	3	34
B	3	3	5	4	15
C	6	4	4	3	12
D	4	-1	4	2	19
Requirement	21	25	17	17	80

3. Use dual simplex method to solve the L.P.P.

$$\text{Minimize } Z = x_1 + 2x_2 + 3x_3$$

subject to the constraints:

$$x_1 - x_2 + x_3 \geq 4$$

$$x_1 + x_2 + 2x_3 \leq 8$$

$$x_2 - x_3 \geq 2$$

$$x_1, x_2, x_3 \geq 0$$

Assignment – IV

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. In a railway marshalling yard, goods trains arrive at a rate of 30 trains per day. Assuming that the inter-arrival time follows an exponential distribution and the service time distribution is also exponential with an average 36 minutes, calculate the following:
i) Average number of trains in the yard ii) The probability that the queue size exceeds 10.
2. A super market has two girls ringing up sales at the counters. If the service time for each counter is exponential with mean 4 minutes, and if people arrive in a Poisson fashion at the rate of 10 an hour.
 - (a) What is the probability of having to wait for service?
 - (b) What is the expected percentage of idle time for each girl?
 - (c) Find the average queue length as the average number of units in the system.
3. A Commodity is to be supplied at a constant rate of 200 units per day. Supplies of any amount can be had at any required time, but each ordering costs Rs.50.00. Cost of holding the commodity in inventory is Rs.2.00 per unit per day while the delay in the supply of the item induces a penalty of Rs.10.00 per unit per delay of 1 day. Find the optimal policy (q,t) where t is the re-order cycle period and Q is the inventory level after re-order. What would be the best policy, if the penalty cost becomes ∞ ?
4. A TV Repairman find that the time spent on his jobs has an exponential distribution with mean 30 minutes. If he repairs sets in the order in which they came in and if the arrival of sets is approximately Poisson with an average rate of 10 per 8 hours day, what is repairman's expected idle time each day? How many jobs are ahead of the average set just brought in?

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Explain EOQ model without shortage.
2. Explain (M/M/1): (∞ /FIFO) model.

3. Solve the following 3 x 3 game by linear programming:

$$\begin{array}{c} \text{Player B} \\ \text{Player A} \begin{bmatrix} 1 & -1 & -1 \\ -1 & -1 & 3 \\ -1 & 2 & -1 \end{bmatrix} \end{array}$$



TAMIL NADU OPEN UNIVERSITY

Chennai - 15
School of Science

ASSIGNMENT

Programme Code No : 132
Programme Name : B.Sc., Mathematics with Computer Applications
Course Code & Name : BMC-34, Graph Theory
Batch : AY 2019-20
No.of Assignment : One Assignment for Each 2 Credits
Maximum Marks : 100
Weightage : 25%

Assignment – I

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Define various operations on graphs and illustrate.
2. Prove that a graph is bipartite if and only if it contains no odd cycle.
3. Define self-complementary graph, give an example and prove that if G is self-complementary then $p \equiv 0, 1 \pmod{4}$.
4. State and prove Turan's theorem.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. State and prove Havel and Hakimi theorem and illustrate.

2. Define an Eulerian graph, give an example and a counter example. Also prove that a connected graph G is eulerian if and only if each vertex of G has even degree.
3. State and prove equivalent condition for a graph to be a tree.

Assignment – II

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. State and prove Euler's Formula.
2. Prove that every tournament has a directed Hamilton Path.
3. If G is a graph with $p \geq 3$ and $\delta \geq p/2$, then prove that G is Hamiltonian.
4. In a bipartite graph with $\delta > 0$, prove that number of vertices in a maximum independent set is equal to the number of edges in minimum edge covering.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Write a note on Chromatic Polynomial of a graph.
2. State and prove Five-colour theorem, proving necessary result.
3. Define closure of a graph, illustrate and prove that closure of a graph is well defined.
Also prove that if $c(G)$ is complete, then G is hamiltonian when $p \geq 3$.



TAMIL NADU OPEN UNIVERSITY

Chennai - 15
School of Science

ASSIGNMENT

Programme Code No	: 132
Programme Name	: B.Sc., Mathematics with Computer Applications
Course Code & Name	: BMC-35, Introduction to Internet Programming (Java)
Batch	: AY 2019-20
No.of Assignment	: One Assignment for Each 2 Credits
Maximum Marks	: 100
Weightage	: 25%

Assignment – I

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Explain Inheritance in Java.
2. Write a note on Constructor.
3. Write a note on Applets and Applications.
4. Write Structure of Java programming.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. Explain the concept of sub-classing.
2. Write a note on Exceptional handling.

3. Write Java control constructs.

Assignment – II

Part – A (4 x 10 = 40 Marks)

Answer all questions. Each question carries 10 marks.

1. Write a note on Classes and Objects.
2. Write a note on Java package.
3. Write the features of the Java.
4. Write a note on Data Types of Java.

Part – B (2 x 30 = 60 Marks)

Answer any two of the questions. Each question carries 30 marks.

1. What is an Applet? Write a note on Applet creation and Applet execution.
2. Explain how Java supports multithreading.
3. Write a note on Arrays.